

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC157/TB500 - 20mg



Tested for: **PeptidePharm**
PeptidePharm.com

COA #: **COA-2026-412638**
Lot Number: **BB20-05042026**
Accession #: **ACC-2026-2018**
Labeled Content: **20mg**

Method: **Full QC Panel**
Analysis Date: **05/08/2026**
Appearance: **Good**
Sample Matrix: **Lyophilized**
Date Received: **05/05/2026**

PASS



Scan to verify authenticity at ils-lab.com
Access Code: EQSZYNZH

Identity	Peptide Purity
BPC157/TB500	99.93%



BPC157/TB500 20mg - BB20-05042026


Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.93%	%	PASS
Identity (HPLC-RTM)	BPC-157 + TB-500	Confirmed	-	PASS

Additional Tests

Analyte	Specification	Result	Unit	Status
Net Blend Peptide Content	Report Only	21.07	mg	N/A
-- BPC-157		10.75	mg	
-- TB-500		10.32	mg	

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.93% purity, closest to batch mean of 99.91%)

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.93%	21.07 mg	Confirmed	PASS
Conformity V1	99.88%	20.76 mg	Confirmed	PASS
Mean	99.91%	20.91 mg	—	—
Std Dev	0.0250%	0.1550 mg	—	—




Dr. Greg Kalyuzhny
Lab Director
6/2/2026

COA #: **COA-2026-412638**
Access Code: **EQSZYNZH**
Verify: portal.ils-lab.com/verify/Hxn4nu4yHPHoU2Rr
Issued: 6/2/2026

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.067 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

- Date Tested: 06/02/2026. Methods: Blend Purity & Quant (HPLC); Additional Tests.
- The sample was confirmed to be BPC157/TB500 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
- Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (BPC-157, TB-500). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.
- Chromatogram shown is representative: Dedicated V0 (99.93% purity, closest to batch mean of 99.91%).



Dr. Greg Kalyuzhny
Lab Director
6/2/2026

COA #: **COA-2026-412638**
Access Code: **EQSZYNZH**
Verify: <portal.ils-lab.com/verify/Hxn4nu4yHPHoU2Rr>
Issued: 6/2/2026